

FRONT VIEW WITHOUT DOORS

ARMSTRONG PUMPS CONFIGURATION SHOWN,
B & G IS DIFFERENT

BACK VIEW

## NOTES

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 97.8 L X 54.4 W X 78.1 H.

DIMENSIONS ARE IN INCHES, DATE DRAWN: 2017/09/15

THIRD ANGLE PROJECTION
SHEET 2 0F 3

HUSSMANI®

PUMP STATION-5IN

OUTDOOR FRAME
AND SKINS


PD-000000090 REV B

INFORMATION SUBJECT TO CHANGE

## MINIMUM CLEARANCE REQUIREMENTS:

ACTUAL CLEARANCE REQUIREMENTS
ARE DEPENDENT UPON AUTHORITY
HAVING JURISDICTION, AND MAY EXCEED

DIMENSIONS SHOWN.



42" CLEARANCE BETWEEN CONTROL PANEL & ANY WALL.

48" CLEARANCE BETWEEN CONTROL PANEL & ANY LIVE PANEL.

NOTE

I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.

2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.

3. OVERALL DIMENSIONS: 97.8 L X 54.4 W X 78.1 H.

DIMENSIONS ARE IN INCHES.
DATE DRAWN: 2017/09/15

THIRD
ANGLE
PROJECTION

PUSSINATION PUMP STATION SIN OUTDOOR FRAME AND SKINS

NFORMATION SUBJECT TO CHANGE